

O	P	Úroveň	TC	ČP	TV	Typ položky	Kód položky	Popis	MJ	Množstvo	Dodávka jedn.	Dodávka celkom	Montáž jedn.	Montáž celkom	Celková cena
		1			D		D1	Elektromontáže				133 179,17		34 455,41	167 634,59
		>2	fc		M	HSV	Pol4	svietidlo "A"; vid'. legenda	ks	30,000	483,78	14 513,34	8,08	242,25	14 755,59
		>2	fc		M	HSV	Pol5	svietidlo "B";	ks	22,000	207,80	4 571,67	8,08	177,65	4 749,32
		>2	fc		M	HSV	Pol6	svietidlo "C";	ks	6,000	64,68	388,06	8,08	48,45	436,51
		>2	fc		M	HSV	Pol7	svietidlo "D";	ks	142,000	60,12	8 536,47	8,08	1 146,65	9 683,12
		>2	fc		M	HSV	Pol8	svietidlo "E";	ks	23,000	584,95	13 453,92	8,08	185,73	13 639,64
		>2	fc		M	HSV	Pol9	svietidlo "F";	ks	29,000	71,00	2 059,09	8,08	234,18	2 293,26
		>2	fc		M	HSV	Pol10	svietidlo "G";	ks	11,000	176,24	1 938,68	8,08	88,83	2 027,51
		>2	fc		M	HSV	Pol11	svietidlo "H";	ks	8,000	40,03	320,26	8,08	64,60	384,86
		>2	fc		M	HSV	Pol12	svietidlo "I";	ks	32,000	47,25	1 512,10	8,08	258,40	1 770,50
		>2	fc		M	HSV	Pol13	svietidlo "J";	ks	20,000	54,39	1 087,75	8,08	161,50	1 249,25
		>2	fc		M	HSV	Pol14	svietidlo "K"	ks	20,000	187,20	3 743,95	8,08	161,50	3 905,45
		>2	fc		M	HSV	Pol15	svietidlo "L1"	ks	2,000	382,81	765,62	8,08	16,15	781,77
		>2	fc		M	HSV	Pol16	svietidlo "L2"	ks	3,000	250,40	751,20	8,08	24,23	775,43
		>2	fc		M	HSV	Pol17	svietidlo "L3"	ks	2,000	180,92	361,84	8,08	16,15	377,99
		>2	fc		M	HSV	Pol18	svietidlo "LK";	ks	6,000	63,58	381,50	8,08	48,45	429,95
		>2	fc		M	HSV	Pol19	"svietidlo "M"	ks	8,000	32,60	260,83	8,08	64,60	325,43
		>2	fc		M	HSV	Pol20	svietidlo "O"	ks	48,000	100,13	4 806,24	8,08	387,60	5 193,84
		>2	fc		M	HSV	Pol21	svietidlo "P"	ks	2,000	89,04	178,09	8,08	16,15	194,24
		>2	fc		M	HSV	Pol22	svietidlo "Q"	ks	3,000	29,25	87,75	8,08	24,23	111,98
		>2	fc		M	HSV	Pol23	svietidlo "Q1"	ks	9,000	129,90	1 169,13	8,08	72,68	1 241,80
		>2	fc		M	HSV	Pol24	svietidlo "Q2"	ks	9,000	129,90	1 169,13	8,08	72,68	1 241,80
		>2	fc		M	HSV	Pol25	svietidlo "Z"	ks	2,000	146,49	292,98	8,08	16,15	309,13
		>2	fc		M	HSV	Pol26	svietidlo "X"	ks	6,000	577,11	3 462,64	8,08	48,45	3 511,09
		>2	fc		M	HSV	Pol27	svietidlo "N1"	ks	13,000	16,77	217,98	8,08	104,98	322,95
		>2	fc		M	HSV	Pol28	svietidlo "N3"	ks	63,000	55,99	3 527,56	8,08	508,73	4 036,28
		>2	fc		M	HSV	Pol29	svietidlo "N4"	ks	1,000	63,26	63,26	8,08	8,08	71,34
		>2	fc		M	HSV	Pol30	svietidlo "N5"	ks	1,000	55,99	55,99	8,08	8,08	64,07
		>2	fc		M	HSV	Pol31	svietidlo "N6"	ks	6,000	69,11	414,68	8,08	48,45	463,13
		>2	fc		M	HSV	Pol32	svietidlo "N7"	ks	4,000	73,64	294,58	8,08	32,30	326,88
		>2	fc		M	HSV	Pol33	svietidlo "N8"	ks	3,000	73,64	220,93	8,08	24,23	245,16
		>2	fc		M	HSV	Pol34	svietidlo "N9"	ks	36,000	55,65	2 003,44	8,08	290,70	2 294,14
		>2	fc		M	HSV	Pol35	svietidlo "N10"	ks	8,000	73,47	587,78	8,08	64,60	652,38
		>2	fc		M	HSV	Pol36	svietidlo "N11"	ks	21,000	60,18	1 263,83	8,08	169,58	1 433,41
		>2	fc		M	HSV	Pol37	svietidlo "N12"	ks	1,000	62,88	62,88	8,08	8,08	70,96
		>2	fc		M	HSV	Pol38	svietidlo "N14"	ks	4,000	98,13	392,50	8,08	32,30	424,80
		>2	fc		M	HSV	Pol39	rozdávzač CBS	ks	2,000	4 877,77	9 755,53	8,08	16,15	9 771,68
		>2	fc		M	HSV	Pol40	fázový monitor do podr. rozvádzačov	ks	8,000	47,03	376,20	6,18	49,40	425,60
		>2	fc		M	HSV	Pol41	DLS/BUS modul	ks	2,000	132,11	264,21	8,08	16,15	280,36
		>2	fc		M	HSV	Pol42	tlač. TOTAL STOP so zapojením	ks	2,000	382,38	764,75	8,08	16,15	780,90

	>2	fc		K	HSV	Pol43	spustenie systému núdz. osvetlenia	ks	2,000	0,00	0,00	928,63	1 955,00	1 955,00
	>2			D		D2	NIKO PR20							
	>2			D		D3	kompletné							
	>3	fc		M	HSV	Pol44	07-011 spínač jednopólový	ks	52,000	2,36	122,51	2,00	103,74	226,25
	>3	fc		M	HSV	Pol45	07-015 spínač sériový	ks	14,000	3,14	44,02	2,61	36,58	80,60
	>3	fc		M	HSV	Pol46	07-016 spínač striedavý	ks	80,000	1,45	116,00	2,28	182,40	298,40
	>3	fc		M	HSV	Pol47	07-017 spínač krížový	ks	32,000	3,68	117,65	2,57	82,08	199,73
	>2			D		D4	NIKO PR20 SOFT							
	>2			D		D3	kompletné							
	>3	fc		M	HSV	Pol48	07-000 spínač tlačítkový s doutnavkou	ks	8,000	4,41	35,26	2,00	15,96	51,22
	>3	fc		M	HSV	Pol49	sním.pohybu Corridor; ABB	ks	36,000	122,47	4 409,06	7,51	270,18	4 679,24
	>3	fc		M	HSV	Pol50	krabica pre snímač pohybu	ks	36,000	9,07	326,61	2,41	86,87	413,48
	>2			D		D2	NIKO PR20							
	>2			D		D3	kompletné							
	>3	fc		M	HSV	Pol51	08-321 zásuvka jednoduchá bezpečn. 21 mm	ks	430,000	2,60	1 119,29	3,71	1 593,15	2 712,44
	>2			D		D5	HYDRO55, POVRCHOVÁ MONTÁŽ							
	>3	fc		M	HSV	Pol52	23-366-03 zásuvka jednoduchá bezpečn.	ks	46,000	9,31	428,26	3,71	170,43	598,69
	>2			D		D6	ZÁSUVKA PRŮMYSLOVÁ VESTAVNÁ, IP67							
	>3	fc		M	HSV	Pol53	IEG1653 16A,400V,3p+N+z	ks	5,000	4,70	23,51	5,85	29,26	52,77
	>3	fc		M	HSV	Pol54	zásuvková skriňa D561.4011-3/4	ks	1,000	171,69	171,69	8,33	8,33	180,03
	>3	fc		M	HSV	Pol55	spínač S16JP	ks	3,000	13,17	39,50	5,15	15,45	54,95
	>3	fc		M	HSV	Pol56	spínač S32JP	ks	2,000	24,85	49,70	5,15	10,30	60,00
	>3	fc		M	HSV	Pol57	spínač S63JP	ks	1,000	28,55	28,55	8,88	8,88	37,43
	>3	fc		M	HSV	Pol58	KP 64/2L KRABICE PŘÍSTROJOVÁ	ks	576,000	0,56	322,85	1,24	711,36	1 034,21
	>3	fc		M	HSV	Pol59	KR 97/5 KRABICE ROZVODNÁ	ks	450,000	1,79	803,70	2,41	1 085,85	1 889,55
	>3	fc		M	HSV	Pol60	krabica KSK 125 (PS90 - Kopos)	ks	161,000	29,35	4 724,63	2,41	388,49	5 113,12
	>3	fc		M	HSV	Pol61	tlačítko Central stop; vid'. výkr.č.1	ks	2,000	15,63	31,26	3,45	6,90	38,15
	>3	fc		M	HSV	Pol62	podlahová krabica; vid'. legenda	ks	36,000	70,95	2 554,06	47,83	1 721,97	4 276,03
	>3	fc		M	HSV	Pol63	zásuvková skriňa; vid'. legenda	ks	1,000	34,01	34,01	15,96	15,96	49,97
	>3	fc		M	HSV	Pol64	rozvádzač re zásuv. skriňu	ks	1,000	25,26	25,26	17,58	17,58	42,84
	>2			D		D7	KABEL SILOVÝ,IZOLACE PVC							
	>3	fc		M	HSV	Pol65	CYKY 2x1.5 mm2, pevne	m	390,000	0,29	114,86	0,82	318,63	433,49
	>3	fc		M	HSV	Pol66	CYKY 3x1.5 mm2, pevne	m	4 560,000	0,42	1 906,08	0,82	3 725,52	5 631,60
	>3	fc		M	HSV	Pol67	CYKY 5x1.5 mm2, pevne	m	950,000	0,69	658,83	0,82	776,15	1 434,98
	>3	fc		M	HSV	Pol68	CYKY 3x2.5 mm2, pevne	m	4 660,000	0,67	3 143,17	0,82	3 807,22	6 950,39
	>3	fc		M	HSV	Pol69	CYKY 5x2.5 mm2, pevne	m	180,000	1,12	201,78	0,88	159,03	360,81
	>3	fc		M	HSV	Pol70	CYKY 7x2.5 mm2, pevne	m	10,000	1,60	15,96	0,87	8,74	24,70
	>3	fc		M	HSV	Pol71	CYKY 3x 4 mm2, pevne	m	160,000	1,07	171,76	0,88	141,36	313,12
	>3	fc		M	HSV	Pol72	CYKY 5x4 mm2, pevne	m	90,000	1,78	159,89	1,24	112,01	271,89
	>3	fc		M	HSV	Pol73	CYKY 5x6 mm2, pevne	m	50,000	2,61	130,63	1,49	74,58	205,20
	>2			D		D7	KABEL SILOVÝ,IZOLACE PVC							
	>3	fc		M	HSV	Pol74	CYKY-O 7x4 , pevne	m	20,000	1,94	38,76	1,03	20,52	59,28

	>2			D		D8	VODIČ JEDNOŽILOVÝ, IZOLACE PVC							
	>3	fc		M	HSV	Pol75	CY 6 mm2,, pevne	m	30,000	0,50	15,11	0,82	24,51	39,62
	>2			D		D9	KABEL SILOVÝ,IZOLACE PVC,1kV							
	>3	fc		M	HSV	Pol76	AYKY 3x240+120 mm2, pevne	m	400,000	9,50	3 800,00	4,53	1 812,60	5 612,60
	>2			D		D9	KABEL SILOVÝ,IZOLACE PVC,1kV							
	>3	oc		K	HSV	Pol77	AYKY-J 3x185+95 , pevne	m	145,000	0,00	0,00	4,00	579,93	579,93
	>2			D		D10	TRUBKA							
	>3	fc		M	HSV	Pol78	FXKVR50 Trubka FXKVR 50,PE,-40-, 100-C	m	10,000	0,48	4,75	1,65	16,53	21,28
	>3	fc		M	HSV	Pol79	FXKVR110 Trubka FXKVR 110,PE, -40 až 10	m	15,000	1,24	18,67	1,76	26,36	45,03
	>2			D		D7	KABEL SILOVÝ,IZOLACE PVC							
	>3	fc		M	HSV	Pol80	CYKY-J 5x10 , pevne	m	90,000	4,30	387,32	0,90	81,23	468,54
	>3	fc		M	HSV	Pol81	CYKY-J 5x16 , pevne	m	60,000	6,83	409,83	1,08	64,98	474,81
	>2			D		D7	KABEL SILOVÝ,IZOLACE PVC							
	>3	oc		K	HSV	Pol82	CYKY-J 5x25 , pevne	m	60,000	0,00	0,00	2,24	134,52	134,52
	>3	fc		K	HSV	Pol83	CYKY-J 5x50 , pevne	m	90,000	0,00	0,00	2,83	254,79	254,79
	>2			D		D11	Kabely pro pevné uložení - ohni odolné							
	>3	fc		M	HSV	Pol84	(N)HXH E30 2 x 1,5 re	m	120,000	0,62	74,10	0,82	98,04	172,14
	>3	fc		M	HSV	Pol85	(N)HXH E30 3 x 1,5 r	m	630,000	0,75	472,82	0,82	514,71	987,53
	>3	fc		M	HSV	Pol86	(N)HXH E30 5 x 1,5 re	m	40,000	1,38	55,10	0,53	21,28	76,38
	>3	fc		M	HSV	Pol87	(N)HXH E30 3 x 2,5 re	m	190,000	1,09	207,58	0,82	155,23	362,81
	>3	fc		M	HSV	Pol88	(N)HXH E30 3 x 6 re	m	10,000	1,98	19,76	0,92	9,22	28,98
	>3	fc		M	HSV	Pol89	(N)HXH E30 5 x 2,5 re	m	60,000	1,74	104,31	0,89	53,58	157,89
	>3	fc		M	HSV	Pol90	rozdávzač RH-A1	ks	1,000	1 610,70	1 610,70	161,07	161,07	1 771,77
	>3	fc		M	HSV	Pol91	rozdávzač RH-A0	ks	1,000	769,79	769,79	76,98	76,98	846,77
	>3	fc		M	HSV	Pol92	rozdávzač RH-A2	ks	1,000	1 433,13	1 433,13	143,32	143,32	1 576,45
	>3	fc		M	HSV	Pol93	rozdávzač RH-A3	ks	1,000	1 080,08	1 080,08	107,59	107,59	1 187,67
	>3	fc		M	HSV	Pol94	rozdávzač RH-A1.1	ks	1,000	867,31	867,31	86,74	86,74	954,05
	>3	fc		M	HSV	Pol95	rozdávzač RH-A1.2	ks	1,000	1 960,15	1 960,15	196,01	196,01	2 156,17
	>3	fc		M	HSV	Pol96	rozdávzač RH-A1.3	ks	1,000	809,06	809,06	80,90	80,90	889,96
	>3	fc		M	HSV	Pol97	rozdávzač RH-B1	ks	1,000	2 382,32	2 382,32	238,23	238,23	2 620,55
	>3	fc		M	HSV	Pol97a	rozdávzač RH-B1.1	ks	1,000	765,87	765,87	76,59	76,59	842,46
	>3	fc		M	HSV	Pol98	rozdávzač RH-B2	ks	1,000	1 258,37	1 258,37	125,84	125,84	1 384,21
	>3	fc		M	HSV	Pol99	rozdávzač RH-B3	ks	1,000	1 194,07	1 194,07	119,41	119,41	1 313,48
	>3	fc		M	HSV	Pol100	rozdávzač RH-B0	ks	1,000	933,01	933,01	93,30	93,30	1 026,31
	>3	fc		M	HSV	Pol101	rozdávzač R_VZT	ks	1,000	1 001,78	1 001,78	100,18	100,18	1 101,95
	>3	fc		M	HSV	Pol102	rozdávzač RK	ks	1,000	701,77	701,77	70,18	70,18	771,95
	>3	fc		M	HSV	Pol103	rozdávzač USM	ks	1,000	765,87	765,87	76,59	76,59	842,46
	>2			D		D12	Montáž rozváděčů litinových, hliníkových nebo plastových částí skříněk							
	>3	oc		K	HSV	Pol104	tělesa hmotnosti do 20 kg	ks	13,000	0,00	0,00	12,51	162,65	162,65
	>3	oc		K	HSV	Pol105	tělesa hmotnosti přes 20 do 40 kg	ks	1,000	0,00	0,00	24,44	24,44	24,44
	>2			D		D13	ZINKOVANÉ PŘEVODNÍKY							

	>2			D		D14	OCELOVÝ DRÁT POZINKOVANÝ							
	>3	oc		K	HSV	Pol106	Drát 8 drát o 8mm(0,40kg/m), pevne	m	330,000	1,05	347,99	2,95	971,85	1 319,84
	>3	oc		K	HSV	Pol107	Drát 10 drát o 10mm(0,62kg/m), pevne	m	84,000	1,05	88,58	2,95	247,38	335,96
	>2			D		D15	OCELOVÝ PÁSEK POZINKOVANÝ							
	>3	oc		K	HSV	Pol108	Páska 30x4 páska 30x4 (0,95 kg/m), pevne	m	85,000	1,05	89,63	1,07	91,25	180,88
	>2			D		D16	Spojovací svorka							
	>3	fc		M	HSV	Pol109	SS	ks	81,000	0,30	24,62	1,68	136,20	160,83
	>2			D		D17	Připojovací svorka							
	>3	fc		M	HSV	Pol110	SO okapových žlabů - velká	ks	18,000	0,68	12,31	2,39	43,09	55,40
	>2			D		D18	Svorka							
	>3	fc		M	HSV	Pol111	SZ zkušební	ks	18,000	0,86	15,39	2,39	43,09	58,48
	>3	fc		M	HSV	Pol112	SK křížová	ks	2,000	0,51	1,03	2,39	4,79	5,81
	>3	fc		M	HSV	Pol113	SR03 zemnicí pásek - drát	ks	16,000	0,49	7,90	2,39	38,30	46,21
	>2			D		D19	Podpěra pod taškovou krytinu-prov.							
	>3	fc		M	HSV	Pol114	PV11	ks	240,000	1,74	417,24	1,92	460,56	877,80
	>2			D		D20	Podpěra vedení - prov.							
	>3	fc		M	HSV	Pol115	PV15 na hřebenače - univerzální	ks	60,000	1,00	59,85	1,68	100,89	160,74
	>3	fc		M	HSV	Pol116	PV31 na světlík	ks	4,000	0,61	2,43	1,43	5,74	8,17
	>2			D		D21	Svorka - prov.							
	>3	fc		M	HSV	Pol117	SJ01 k jímací tyči - 4xM8	ks	6,000	0,85	5,07	2,39	14,36	19,44
	>2			D		D18	Svorka							
	>3	fc		M	HSV	Pol118	SJ02 k zemnicí tyči 2xM8	ks	8,000	0,87	6,99	2,39	19,15	26,14
	>2			D		D22	JÍMACÍ TYČ A OCHRANNÁ TRUBKA							
	>3	fc		M	HSV	Pol119	JR 3,0 AlMgSi s rovným koncem, L 3000mm	ks	10,000	12,57	125,69	6,01	60,14	185,82
	>2			D		D23	DRŽÁK JÍMACÍ TYČE A OCHRANNÉ TRUBKY							
	>3	fc		M	HSV	Pol120	DJD do dřeva, D20mm, L 100mm, vrut 8/100mm	ks	16,000	0,49	7,90	6,90	110,35	118,26
	>2			D		D24	DRŽÁK JÍMACÍ TYČE							
	>3	fc		M	HSV	Pol121	DJ4D d-20mm, na krov	ks	6,000	4,55	27,30	6,90	41,38	68,69
	>3	fc		M	HSV	Pol122	DJ4H d-20mm, na krov	ks	6,000	3,05	18,30	6,90	41,38	59,68
	>2			D		D25	OCHRANNÁ STŘÍŠKA							
	>3	fc		M	HSV	Pol123	OSD d-20mm,dolní	ks	6,000	1,24	7,41	1,43	8,61	16,02
	>3	fc		M	HSV	Pol124	ZT 3000včítane podstavcov	ks	2,000	15,68	31,35	6,90	13,79	45,14
	>2			D		D26	ZEMNIČE							
	>3	fc		M	HSV	Pol125	ZT 2,0 zemnicí tyč o 25mm, L 2000mm	ks	8,000	10,36	82,84	6,90	55,18	138,02
	>3	fc		M	HSV	Pol126	PAS Ekvipotenciální přípojnice K12 10x2,5-95mm + 30x4 mm	ks	1,000	10,62	10,62	16,96	16,96	27,58
	>3	fc		M	HSV	Pol127	SZ skuš.svorka 5700 DIN (OBO)	ks	2,000	0,86	1,71	2,39	4,79	6,50
	>3	fc		M	HSV	Pol128	krabica pre SZ; KUZ-VI (Kopos)	ks	16,000	12,01	192,13	3,42	54,72	246,85
	>2			D		D10	TRUBKA							
	>3	fc		M	HSV	Pol129	FXP40 Trubka FXP 40	m	140,000	0,54	75,81	1,24	172,90	248,71
	>2			D		D27	HLOUBENÍ KABELOVÉ RÝHY							
	>3	fc		M	HSV	Pol130	Zemina třídy 3, šíře 300mm,hloubka 800mm	m	160,000	0,00	0,00	15,58	2 492,80	2 492,80
	>2			D		D28	ZÁHOZ KABELOVÉ RÝHY							

	>3	fc		M	HSV	Pol130	Zemina třídy 3, šíře 300mm, hloubka 800mm	m	180,000	0,00	0,00	0,78	140,22	140,22
	>2			D		D29	VYTÝČENÍ TRATI							
	>3	fc		M	HSV	Pol131	Venkovní vedení nn v nepřehledném terénu	km	0,200	0,00	0,00	275,50	55,10	55,10
	>2			D		D30	FOLIE VÝSTRAŽNÁ Z PVC							
	>3	fc		M	HSV	Pol132	Do šířky 20cm	m	160,000	0,09	13,68	0,47	74,48	88,16
	>2			D		D31	ODDĚLENÍ KABELŮ VE VÝKOPU							
	>3	fc		M	HSV	Pol133	Cihlou	m	160,000	1,60	255,36	1,87	299,44	554,80
	>2			D		D32	ÚPRAVA POVRCHU							
	>3	fc		M	HSV	Pol134	Provizorní úprava terénu v zemina třídy 3	m2	108,000	0,00	0,00	1,98	213,41	213,41